SAFETY DATA SHEET

Product Name:

BRAKE CLEANER

Date of Issue: MAR 2020

Page 1 of Total 7

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
SUPPLIER:	GLEAM-IT PRODUCTS	GLEAM-IT PRODUCTS		
ADDRESS:	Unit 4, 12 Commercial Drive,	Unit 4, 12 Commercial Drive, Ashmore, Qld 4214 Australia.		
Trade Name:		BRAKE CLEANER		
TELEPHONE:	(07) 5531 1544	FAX:	(07) 5591 1800	
AH EMERGENCY TELEPHONE:	13 1126 in Australia	Product Code:		
Substance:	Solvent based polish	Product Use:	Brake Cleaner	
Creation Date:	March 2020	Revision Date:	March 2025	

SECTION 2 – HAZARDS IDENTIFICATION

ECTION 2 - HAZARDS IDENTIFICA			
Classification of the substance or	mixture		
Poisons Schedule	S5 (LIQUID HYDROCARBONS)		
Dangerous Goods	Classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code.		
GHS Classification	Flammable Liquids - Category 2 Skin Irritation - Category 2 Specific Target Organ Toxicity (Single exposure) - Category 3 Specific Target Organ Toxicity (Repeated exposure) - Category 2 Aspiration Hazard - Category 1 Toxic to Reproduction - Category 2		
Label elements			
GHS label pictograms	GHS 02 GHS 07 GHS 08 GHS 09		
Signal word	DANGER		
Hazard statement(s)			
H225	Highly flammable liquid and vapour.		
H315	Causes skin irritation.		
H336	May cause drowsiness or dizziness.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H304	May be fatal if swallowed and enters airways.		
H361	Suspected of damaging the unborn child.		
Precautionary statement(s): Gene	eral		
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P103	Read label before use.		
Precautionary statement(s): Prev	ention		
P201	Obtain special instructions before use.		
P202	Do not handle until all safety precautions have been read and understood.		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.		
P233	Keep container tightly closed.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical/ventilation/lighting equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		

SAFETY DATA SHEET

Product Name: Date of Issue: MAR 2020

BRAKE CLEANER

Page 2 of Total 7

P260	Do not breath fume/gas/mist/vapours/spray.		
P261	Avoid breathing mist/vapours/spray.		
P264	Wash thoroughly after handling.		
P271	Use only outdoors or in a well-ventilated area.		
P273	Avoid release to the environment.		
P280	Wear protective gloves, clothing and eye/face protection.		
P281	Use personal protective equipment as required.		
Precautionary statement(s): Resp	onse		
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor.		
P331	Do NOT induce vomiting.		
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.		
P321	Specific treatment (see section 4 of this SDS).		
P332 + P313	If skin irritation occurs: Get medical attention.		
P362	Take off contaminated clothing and wash before reuse.		
P303+P361+P353	IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.		
P370 + P378	In case of fire: Use foam/water spray/fog for extinction.		
P304+P340	If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
P312	Call a POISON CENTRE or doctor if you feel unwell.		
P308 + P313	If exposed or concerned: Get medical attention.		
P314			
Precautionary statement(s): Stora	age		
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.		
P403 + P235	Store in a well-ventilated place. Keep cool.		
P405			
Precautionary statement(s): Disp	osal		
P501	Dispose of contents/ container in accordance with local regulations.		
Note			
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its		
	concentrated form, as supplied. When diluted to 1:3 or greater they no longer apply.		
	However, good hygiene and housekeeping practices should be adhered to.		

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS			
Ingredients:	CAS Number:	Proportion:	
Solvent naphtha (petroleum), light	64742-89-8	100% w/w	
aliphatic			

SECTION 4 – FIRST AID MEASURES		
Inhalation	Remove victim from exposure if safe to do so. If rapid recovery does not occur, transport to nearest medical facility for additional treatment. Remove contaminated clothing.	
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.	
Eye contact	Immediately irrigate with copious quantities of water for at least 20 minutes. Eyelids to be held open. Remove clothing if contaminated and wash skin. Immediately seek medical advice (e.g. opthalmologist) even if there are no visible injuries.	
Ingestion	If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.	

SAFETY DATA SHEET BRAKE CLEANER

Product Name: Date of Issue: MAR 2020

Page 3 of Total 7

Advice to Doctor	Treat symptomatically. All treatments should be based on observed signs and symptoms of distress of the patient. Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons.	
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).	
First Aid Facilities	Eye wash station. Showering facility. Normal washroom facilities.	

SECTION 5 – FIRE FIGHTING MEASURES			
Fire and Explosion Hazards	Highly flammable. In use, may form flammable/explosive vapour- air mixture. Carbon monoxide may be evolved if incomplete combustion occurs. Will float and can be reignited on surface water.		
	Vapour is heavier than air, can spread along ground and distant ignition is possible.		
Extinguishing Media	Foam, water spray or fog, dry chemical powder or carbon dioxide. Do not use water in a jet.		
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self- contained breathing apparatus if risk of exposure to products of combustion or decomposition.		
Flash Point	-30 °C (Abel)		

SECTION 6 – ACCIDENTAL R	ELEASE MEASURES
SECTION 6 – ACCIDENTAL R Emergency Procedures	ELEASE MEASURES HAZCHEM CODE: 3YE3 = Alcohol resistant Foam/protein foamY = Breathing apparatus and fire kit, Contain.Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self- contained breathing apparatus if risk of exposure to products of combustion or decomposition.Evacuate area - move upwind of fire.Minor spills do not normally need any special clean- up measures. Transfer by mechanical means to a labelled, sealable container for product recovery or safe disposal.For large spills, or tank rupture, consider initial evacuation distance of 200 metres in all directions.Stop leak if safe to do so.If available, use water spray to disperse vapour. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard
	emergency services.

SECTION 7 – HANDLING AND STORAGE		
Handling	Highly flammable product. Avoid breathing vapours. Handle and open containers with care in a well-ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure limit is not exceeded. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in contaminated areas. Electrostatic charges may be generated during transfer. Electrostatic discharge may cause fire. Ensure electrical continuity by earthing all equipment.	
Storage	Store in a well-ventilated area, away from sunlight, ignition sources and other sources of heat. Do not store near strong oxidants.	

SAFETY DATA SHEET

Product Name:

BRAKE CLEANER

Date of Issue: MAR 2020

Page 4 of Total 7

Exposure Limits	National Occupational Exposure Limits, as published by Safe Work Australia:		
	Time-weighted Average (TWA):		
	None established for product.		
	For ingredient:		
	Solvent naphtha (petroleum), light aliphatic: 450mg/m ³ TWA (8hr)		
	Short Term Exposure Limit (STEL):		
	None established for product.		
Ventilation	Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Avoid generating and inhaling mists and vapours. Keep containers closed when not in use.		
Personal Protective	Use good occupational work practice. The use of protective clothing and equipment depends upon		
Equipment	the degree and nature of exposure. The following protective equipment should be available.		
Eye Protection	The use of face shields, chemical goggles, or safety glasses with side shield protection is recommended. Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.		
Hand Protection	Generally not required for typical applications with diluted solutions as per label directions. Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.		
Body Protection	Wear overalls, boots and impervious gloves (as per AS/NZS 2161, or as recommended by supplier).		
Respirator	If work practices do not maintain airborne level below the exposure standard, use appropriate respiratory protection equipment. When using respirators, select an appropriate combination of mask and filter. Select a filter for organic gases and vapours (boiling point > 65°C). Respirators should comply with AS1716 or an equivalent approved by a state/territory authority.		

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Liquid	Colour	Colourless
Odour	Paraffinic sweet	Specific Gravity	1.02 – 1.04 @ 25 °C
Boiling Point	50−135ºC	Freezing Point	Not available
Vapour Pressure	Typical 34.5	Vapour Density	Not available
Flash Point	-30 (Abel)	Flammable Limits	1 – 7.5
Water Solubility	Not miscible	рН	neutral
Volatile Organic	Ca 90 % v/v	Per Cent Volatile	Ca 90 % v/v
Compounds (VOC)			
Viscosity	Water thin	Odour Threshold	Not available
Autoignition temperature	280 (ASTM E-659)		

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity Stable at normal temperatures and pressure.		
Conditions to Avoid	Stable under normal conditions of use. Avoid heat, sparks, open flames and other ignition	
	sources.	
Incompatibilities	Strong oxidizing agents.	

SAFETY DATA SHEET

BRAKE CLEANER

Page 5 of Total 7

Hazardous
Decomposition

Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids, gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation.

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Product Name:

Date of Issue: MAR 2020

in headaches, dizziness and nausea; continued inhalation may result in unconsciousness and/ death.Skin contactMay include burning sensation and/or a dried/cracked appearance.Eye contactMay include burning sensation, redness, swelling and/or blurred vision.IngestionMay include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness breath and/or fever.Chronic exposureNo known effects.Toxicology InformationExpected to be of low toxicity - LD50 Oral (rat) > 2000mg/kgSWANo significant ingredient is classified as carcinogenic by SWA.NTPNo significant ingredient is classified as carcinogenic by NTP.IARCNot expected to be a respiratory sensitizer.Skin SensitisationNot expected to be a skin sensitizer.Germ cell mutagenicityNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be a respiratory irritant.STOT-repeated exposureNot expected to be a respiratory irritant.STOT-repeated exposureNot expected to be a respiratory irritant.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	<i>2</i>				
Eye contactMay include burning sensation, redness, swelling and/or blurred vision.IngestionMay include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness breath and/or fever.Chronic exposureNo known effects.Toxicology InformationExpected to be of low toxicity - LD50 Oral (rat) > 2000mg/kgCarcinogen StatusNo significant ingredient is classified as carcinogenic by SWA.NTPNo significant ingredient is classified as carcinogenic by NTP.IARCNo significant ingredient is classified as carcinogenic by IARC.Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be a respiratory irritant.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureNot expected to be a respiratory irritant.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Inhalation	Breathing of high vapour concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea; continued inhalation may result in unconsciousness and/or death.			
IngestionMay include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness breath and/or fever.Chronic exposureNo known effects.Toxicology InformationExpected to be of low toxicity - LD50 Oral (rat) > 2000mg/kgCarcinogen StatusSWASWANo significant ingredient is classified as carcinogenic by SWA.NTPNo significant ingredient is classified as carcinogenic by NTP.IARCNo significant ingredient is classified as carcinogenic by IARC.Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be a respiratory irritant.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Skin contact	May include burning sensation and/or a dried/cracked appearance.			
Image: constraint of the second system:breath and/or fever.Chronic exposureNo known effects.Toxicology InformationExpected to be of low toxicity - LD50 Oral (rat) > 2000mg/kgCarcinogen StatusImage: constraint of the second system is classified as carcinogenic by SWA.SWANo significant ingredient is classified as carcinogenic by SWA.NTPNo significant ingredient is classified as carcinogenic by NTP.IARCNo significant ingredient is classified as carcinogenic by IARC.Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot expected to be a skin sensitizer.Germ cell mutagenicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Eye contact	May include burning sensation, redness, swelling and/or blurred vision.			
Toxicology InformationExpected to be of low toxicity - LD50 Oral (rat) > 2000mg/kgCarcinogen StatusSWANo significant ingredient is classified as carcinogenic by SWA.NTPNo significant ingredient is classified as carcinogenic by NTP.IARCNo significant ingredient is classified as carcinogenic by IARC.Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be a respiratory irritant.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Ingestion	May include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness of breath and/or fever.			
Carcinogen StatusNo significant ingredient is classified as carcinogenic by SWA.SWANo significant ingredient is classified as carcinogenic by SWA.NTPNo significant ingredient is classified as carcinogenic by NTP.IARCNo significant ingredient is classified as carcinogenic by IARC.Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot expected to be a skin sensitizer.Germ cell mutagenicityNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Chronic exposure	No known effects.			
SWANo significant ingredient is classified as carcinogenic by SWA.NTPNo significant ingredient is classified as carcinogenic by NTP.IARCNo significant ingredient is classified as carcinogenic by IARC.Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot expected to be a skin sensitizer.Germ cell mutagenicityNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Toxicology Information	Expected to be of low toxicity - LD50 Oral (rat) > 2000mg/kg			
NTPNo significant ingredient is classified as carcinogenic by NTP.IARCNo significant ingredient is classified as carcinogenic by IARC.Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot expected to be a skin sensitizer.Germ cell mutagenicityNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Carcinogen Status				
IARCNo significant ingredient is classified as carcinogenic by IARC.Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot expected to be a skin sensitizer.Germ cell mutagenicityNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	SWA	No significant ingredient is classified as carcinogenic by SWA.			
Respiratory sensitisationNot expected to be a respiratory sensitizer.Skin SensitisationNot expected to be a skin sensitizer.Germ cell mutagenicityNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	NTP	No significant ingredient is classified as carcinogenic by NTP.			
Skin SensitisationNot expected to be a skin sensitizer.Germ cell mutagenicityNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	IARC	No significant ingredient is classified as carcinogenic by IARC.			
Germ cell mutagenicityNot considered to be a mutagenic hazard.Reproductive ToxicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Respiratory sensitisation	Not expected to be a respiratory sensitizer.			
Reproductive ToxicityNot considered to be toxic to reproduction.STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Skin Sensitisation	Not expected to be a skin sensitizer.			
STOT-single exposureNot expected to be a respiratory irritant.STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Germ cell mutagenicity	Not considered to be a mutagenic hazard.			
STOT-repeated exposureCentral nervous system: repeated exposure affects the nervous system.Aspiration HazardAspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	Reproductive Toxicity	Not considered to be toxic to reproduction.			
Aspiration Hazard Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	STOT-single exposure	Not expected to be a respiratory irritant.			
	STOT-repeated exposure	Central nervous system: repeated exposure affects the nervous system.			
	Aspiration Hazard	Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.			

SECTION 12 – ECOLOGICAL	INFORMATION
General	Chronic Aquatic Toxicity, Category 2 Toxic to aquatic life with long lasting effects. Product is not miscible with water. AS WITH ANY
	CHEMICAL PRODUCT, DO NOT DISCHARGE INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Inform local authorities if this occurs.
Toxicity Data	(Fish) Expected to be toxic: 1 < LC/EC/IC50 <= 10mg/l
Persistence and degradability	Readily biodegradable. Oxidizes by photo-chemical reactions in air.
Bio accumulative	
potential	No Has the potential to bioaccumulate.
Mobility in soil	Floats on water. Absorbs on soil.

SECTION 14 – TRANSPORT INFORMATION Labels Required ADG PLANMERE LOOD 3

SAFETY DATA SHEET

BRAKE CLEANER

Date of Issue: MAR 2020

Product Name:

Page 6 of Total 7

IMDG Marine Pollutant	No
HAZCHEM	3YE
Land Transport (ADG)	
UN Number	1268
Shipping Name	PETROLEUM DISTILATES, N.O.S. (SOLVENT NAPHTHA)
ADG Code	3
HAZCHEM Code	3YE
Special Provisions	None allocated
Packing Group	I
EPG Number	3A1
IERG Number	14
Packaging Method	None allocated
Segregation	 This material is a Class 3 - Flammable Liquid according to The Australian Code for the Transport of Dangerous Goods by Road and Rail. Class 3 - Flammable Liquids are incompatible in a placard load with any of the following: Class 1, Explosives Class 2. 1, Flammable Gases, if both the Class 3 and Class 2. 1 dangerous goods are in bulk
	 Class 2. 3, Toxic Gases Class 4. 2, Spontaneously Combustible Substances Class 5. 1, Oxidizing Agents and Class 5. 2, Organic Peroxides Class 6, Toxic Substances (where the flammable liquid is nitromethane) Class 7, Radioactive Substances.

SECTION 15 – REGULATORY	/ INFORMATION
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S6 (LIQUID HYROCARBONS)
ADG Code	3
AICS	All ingredients present on AICS.

SECTION 16 - OTHER IN	FORMATION
Issue Date	March 2020
Version Number	V 3.0 – GHS classification.
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.
	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency
	services.
	HSIS: Hazardous Substances Information SystemIARC: International Agency for Research on Cancer.
	SWA: Safe Work Australia.
	NTP: National Toxicology Program (USA).
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.
	UN Number: United Nations Number.

GLEAM-IT	SAF	SAFETY DATA SHEET Product Name: BRAKE CLEANER			
DDODUCTS	Product Name:				
PRODUCTS	Date of Issue: MAR 2020	Page 7 of Total 7			
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)				
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.				
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)				
	"Australian Exposure Standards". Safe Work Australia				
	Australian Code for The Transport of Dangerous Goods y Road and Rail				
	Standard for the Uniform Scheduling of Medicines and Poisons				
	Safety Data Sheets – individual raw materials – Suppliers				
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.				
Disclaimer	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.				
	End of SD				