## SAFETY DATA SHEET

Product Name: DONE & DUSTED

Date of Issue: APR 2021 Page 1 of Total 6

SECTION 1 – STATEMEN	NT OF CHEMICAL PRODUCT AND C	OMPANY IDENTIFICATION		
SUPPLIER:	GLEAM-IT PRODUCTS	GLEAM-IT PRODUCTS		
ADDRESS:	Unit 4, 12 Commercial Drive,	Unit 4, 12 Commercial Drive, Ashmore, Qld 4214 Australia.		
Trade Name:		DONE & DUSTED		
TELEPHONE:	(07) 5531 1544	FAX:	(07) 5591 1800	
AH EMERGENCY TELEPHONE:	13 1126 in Australia	Product Code:		
Substance:	Air Freshener	Product Use:	Air Freshener	
Creation Date:	Apr 2021	Revision Date:	Apr 2026	

SECTION 2 – HAZARDS IDENTIFICA	TION	
Classification of the substance or	mixture	
Poisons Schedule	Not Scheduled	
Dangerous Goods	Class 3 Flammable	
GHS Classification	Eye Irritation - Category 2A	
	Skin Sensitisation - Category 1	
	Flammable Liquids - Category 3	
Label elements		
GHS label pictograms	GHS07 GHS02	
Signal word	DANGER	
Hazard statement(s)		
H319	Causes serious eye irritation.	
H317	May cause an allergic skin reaction.	
H226	Flammable liquid and vapour.	
Precautionary statement(s): Gen	l ·	
P102	Keep out of reach of children.	
P103	Read label before use.	
Precautionary statement(s): Prev	ention	
P264	Wash thoroughly after handling.	
P280	Wear protective gloves, clothing and eye/face protection.	
P261	Avoid breathing fumes/mist/vapours/spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.	
P233	Keep container tightly closed.	
P240	Ground container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting and equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
Precautionary statement(s): Resp	oonse	
P305 + P351 + 338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	

## SAFETY DATA SHEET

Product Name: DONE & DUSTED

Date of Issue: APR 2021 Page 2 of Total 6

P337 + 313	If eye irritation persists: Get medical attention.	
P303+P361+353	IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.	
P333 + 313	If skin irritation or rash occurs: Get medical attention.	
P321	Specific treatment (see Section 4 First Aid Measures on this SDS).	
P363	Wash contaminated clothing before reuse.	
P370 + P378	In case of fire: use foam, water spray or fog, dry chemical powder or carbon dioxide for	
	extinction. Do not use water in a jet.	
Precautionary statement(s): Storage		
P403 + P235	Store in a well-ventilated place. Keep cool.	
Precautionary statement(s): Disposal		
P501	Dispose of contents/ container in accordance with local regulations.	
Note		
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its	
	concentrated form, as supplied. When diluted to 1:10 or greater they no longer apply.	
	However, good hygiene and housekeeping practices should be adhered to.	

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS		
Ingredients:	CAS Number:	Proportion:
Methylated Spirits/Ethanol	64-17-5	>60% w/w
Fragrance	Proprietary	<10% w/w

SECTION 4 – FIRST AID MEASURES		
Inhalation	Keep victim calm and remove to fresh air if safe to do so. If rapid recovery does not occur, transport to nearest medical facility for additional treatment.	
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.	
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If symptoms persist, seek medical attention.	
Ingestion	If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.	
Advice to Doctor	Treat symptomatically.	
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).	
First Aid Facilities	Eye wash station. Normal washroom facilities.	

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion	Flammable liquid and vapour. In use, may form flammable/explosive vapour air mixture. If	
Hazards	involved in a fire will emit toxic fumes.	
<b>Extinguishing Media</b>	Foam, water spray or fog, dry chemical powder or carbon dioxide. Do not use water in a jet.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.	
Flash Point	Flash point ca 42 °C	

### **SAFETY DATA SHEET**

Product Name: DONE & DUSTED

Date of Issue: APR 2021 Page 3 of Total 6

### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

**Emergency Procedures** 

HAZCHEM code: ●2YE

Shut off engine and electrical equipment off. No smoking or naked lights within 50 metres. Move people from immediate area; keep upwind. Send messenger to notify fire brigade and police. Tell them location, material quantity, UN number and emergency contact. Indicate condition of vehicle and damage or injuries observed. Warn other traffic.

### **Occupational Release**

maintenance.

Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water-courses. For large spills, or tank rupture, consider initial evacuation distance of 200 metres in all directions. Stop leak if safe to do so. Remove all ignition sources. If available, use water spray to disperse vapour. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

SECTION 7 – HANDLING AND STORAGE		
Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.	
Storage	Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials and ignition sources. Ensure that storage conditions comply with applicable local and national regulations.	

Exposure Limits	National Occupational Exposure Limits, as published by Safe Work Australia (SWA):
	Time-weighted Average (TWA):
	None established for product. Ethyl Alcohol (ingredient) 1000ppm. 1880 mg/m <sup>3</sup> .  Short Term Exposure Limit (STEL):
	None established for product.
Ventilation	Ensure ventilation is adequate to maintain air concentrations below exposure standards. Avoid generating mists of the product. Use only in a well-ventilated area. Ensure airflow, where this product is used, is directed away from the operators.
Personal Protective	Use good occupational work practice. The use of protective clothing and equipment depends upon
Equipment	the degree and nature of exposure. The following protective equipment should be available;
Eye Protection	Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning
	up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors
	for Industrial Applications.
Hand Protection	Use solvent resistant gloves, nitrile for longer term protection or PVC and neoprene for incidenta splashes – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves
	will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.
	Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and

### **SAFETY DATA SHEET**

Product Name: DONE & DUSTED

Date of Issue: APR 2021 Page 4 of Total 6

#### **Body Protection**



Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.

Respirator



If work practices do not maintain airborne level below the exposure standard, use appropriate respiratory protection equipment. When using respirators, select an appropriate combination of mask and filter. Select a filter for organic gases and vapours (boiling point > 65°C). Respirators should comply with AS1716 or an equivalent approved by a state/territory authority.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Non-viscous liquid	Colour	Blue
Odour	characteristic odour	Specific Gravity	0.85 − 0.87 @ 25°C
<b>Boiling Point</b>	Not available	Freezing Point	Not available
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point (calculated)	21ºC	Flammable Limits	Not available
Water Solubility	Not available	рН	6.0 – 8.0
Viscosity	As water	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure.	
<b>Conditions to Avoid</b>	Avoid heat, sparks, open flames and other ignition sources.	
Incompatibilities	Strong oxidising agents.	
Hazardous	Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids,	
Decomposition	liquids, gases, including carbon monoxide, carbon dioxide and other organic compounds will be	
	evolved when this material undergoes combustion or thermal or oxidative degradation.	

### **SECTION 11 – TOXICOLOGICAL INFORMATION**

#### **POTENTIAL HEALTH EFFECTS**

. •	· <del>·</del>
	expected if the product is handled in accordance with this Safety Data Sheet and the product label. hay arise if the product is mishandled and overexposure occurs are:
Inhalation	Breathing of high vapour concentrations may cause central nervous system depression resulting in dizziness, light-headedness, headache, nausea and loss of coordination. Continuous inhalation may result in unconsciousness and death.
Skin contact	May cause an allergic skin reaction.
Eye contact	Concentrated product causes serious eye irritation. Eye contact with concentrate will cause stinging, blurring, tearing.
Ingestion	May cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea, coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness of breath, and/or fever. Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.
Chronic exposure	No known effects.
Toxicology Information	Not toxic, based on ingredients. Oral LD50 (calculated) : >2,000 mg/kg LD50 Dermal (rat) > 2000 mg/kg LC50 Inhalation greater than near-saturated vapour concentration (rat, 4h).
Carcinogen Status	
SWA	No significant ingredient is classified as carcinogenic by SWA.
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC.
Respiratory Sensitisation	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Expected to be a skin sensitizer.

### **SAFETY DATA SHEET**

Product Name: DONE & DUSTED

Date of Issue: APR 2021 Page 5 of Total 6

Germ cell mutagenicity	Not considered to be a mutagenic hazard.	
Reproductive Toxicity	Not considered to be toxic to reproduction.	
STOT-single exposure	Inhalation of vapours or mists may cause irritation to the respiratory system.	
STOT-repeated exposure	Central nervous system: repeated exposure affects the nervous system. Effects seen at high	
	doses only.	
Aspiration Hazard	Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which	
	can be fatal.	

SECTION 12 – ECOLOGICAL INFORMATION	
Eco-toxicity	Harmful to aquatic life.
Product (as sold)	
Persistence and	Biodegradable surfactants used.
degradability	
Bio accumulative	Has the potential to bio-accumulate.
potential	
Mobility in soil	Expected to be mobile.
Other adverse effects	Not available
<b>Environmental Protection</b>	Do not discharge this material into waterways.

### SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION	
Labels Required	
ADG	Classified as Dangerous Goods class 3
IMDG Marine Pollutant	No
Land Transport (ADG)	
UN Number	1170
Proper Shipping Name	ETHYL ALCOHOL SOLUTION
ADG Code	3
HAZCHEM Code	●2YE
Special Provisions	None allocated
Packing Group	II
Packaging Method	3.8.3 RT1

## SAFETY DATA SHEET

Product Name: DONE & DUSTED

Date of Issue: APR 2021 Page 6 of Total 6

Segregation	Segregation Class 3 – Flammable liquid shall not be loaded in the same vehicle or packed in the same freight container with:
	Class 1, Explosives
	Class 2.1, Flammable Gases, if both the Class 3 and Class 2.1 dangerous goods are in bulk
	Class 2.3, Toxic Gases
	Class 4.2 Spontaneously Combustible Substances
	Class 5.1 Oxidising Agents and Class 5.2, Organic Peroxides
	Class 6 Toxic Substances (where the flammable liquid is nitromethane)
	Class 7 Radioactive Substances.
	Foodstuff and foodstuff empties.

SECTION 15 – REGULATORY INFORMATION	
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	Not Scheduled
ADG Code	UN 1170 ETHYL ALCOHOL SOLUTION
AICS	All ingredients present on AICS.

Issue Date	April 2021
Version Number	V 1 - GHS classification update
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.
	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: Emergency action code which gives information to emergency services.
	HCIS: Hazardous Chemical Information System
	IARC: International Agency for Research on Cancer.
	SWA: Safe Work Australia.
	NTP: National Toxicology Program (USA).
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.
	UN Number: United Nations Number.
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)
	"Australian Exposure Standards". Safe Work Australia
	Australian Code for The Transport of Dangerous Goods by Road and Rail
	Standard for the Uniform Scheduling of Medicines and Poisons
	Safety Data Sheets – individual raw materials – Suppliers
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.
Disclaimer	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or contribute conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.