SAFETY DATA SHEET

Product Name: NON SILICONE TYRE SHINE

Date of Issue: NOV 2021 Page 1 of Total 6

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION			
SUPPLIER:	GLEAM-IT PRODUCTS		
ADDRESS:	Unit 4, 12 Commercial Drive, Ashmore, Qld 4214 Australia.		
Trade Name:	NON SILICONE TYRE SHINE		
TELEPHONE:	(07) 5531 1544	FAX:	(07) 5591 1800
AH EMERGENCY TELEPHONE:	13 1126 in Australia	Product Code:	
Substance:	Mixture	Product Use:	Tyre shine
Creation Date:	November 2021	Revision Date:	November 2026

Classification of the substance or mixture Poisons Schedule Dangerous Goods GHS Classification GHS Classification GHS Classification CFy irritation - Category 2A Flammable liquids - Category 3 Label elements GHS label pictograms Signal word Hazard statement(s) H319 Causes serious eye irritation. H226 Flammable liquid and vapour. Precautionary statement(s): General P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. P265 Rep out of reach of children. Rep away from heat/sparks/open flames/hot surfaces. No smoking. Rep away from heat/sparks/open flames/hot surfaces. No smoking. Rep away from heat/sparks/open flames/hot surfaces. No smoking. Rep 240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Precautionary statement(s): Response P280 P280 P280 P481 Fin EYES: Risse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuer insing. P337+P331 If PN EYES: Risse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuer insing. In case of fire: Use extinguishing media appropriate to surrounding fire conditions for extinction.				
Poisons Schedule Dangerous Goods RHS Classification Eye irritation - Category 2A Flammable liquids - Category 3 Label elements GHS label pictograms Signal word Hazard statement(s) H319 Causes serious eye irritation. H226 Flammable liquid and vapour. Precautionary statement(s): General P102 Reep out of reach of children. P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. Rep away from heat/sparks/open flames/hot surfaces. No smoking. Rep Container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. P240 See post and repease and see protection. P241 Use explosion-proof electrical/ventilating/lighting equipment. P240 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 If N FYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation - Category 2A Flammable liquids - Category 3 Flammable liquids - Category 4	SECTION 2 – HAZARDS IDENTIFICA	ATION		
Dangerous Goods GHS Classification Eye irritation - Category 2A Flammable liquids - Category 3 Label elements GHS label pictograms Signal word WARNING Hazard statement(s) H319 Causes serious eye irritation. H226 Flammable liquid and vapour. Precautionary statement(s): General P102 Reep out of reach of children. P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep away from heat/sparks/open flames/hot surfaces. No smoking. P203 Ree container tightly closed. Ground/hond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use explosion-proof electrical/ventilating/lighting equipment. P240 Use explosion-proof electrical/ventilating/lighting equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 If N EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation. P303+P361+P353 If NO NSIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P307+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	Classification of the substance or	mixture		
GHS Classification Fee irritation - Category 2A Flammable liquids - Category 3 Label elements GHS label pictograms GHS or GHS 07 GHS 07 GHS 02 WARNING Hazard statement(s) H319 Causes serious eye irritation. H226 Flammable liquid and vapour. Precautionary statement(s): Reap out of reach of children. P102 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. P303+P361+P333 If eye irritation persists: Get medical attention. P303+P361+P338 If eye irritation persists: Get medical attention. P303+P361+P338 If on CSKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	Poisons Schedule	Not scheduled		
Label elements GHS label pictograms Signal word ARNING Hazard statement(s) H319 Causes serious eye irritation. Flammable liquid and vapour. Precautionary statement(s): General P102 Read label before use. Precautionary statement(s): Prevention P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. P210 Reep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Reep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. P241 Use only non-sparking tools. P280 Precautionary statement(s): Response P305+P351+P351 Response P337+P313 If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If on Skin (or hair): Remove immediately all contaminated clothing. Rinse skin with water. In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	Dangerous Goods	Not classified as Dangerous Goods		
Abel elements GHS label pictograms Signal word WARNING Hazard statement(s) H319 Causes serious eye irritation. Flammable liquid and vapour. Precautionary statement(s): General P102 Reap out of reach of children. P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. Reep away from heat/sparks/open flames/hot surfaces. No smoking. P210 Reep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Precautionary statement(s): Response P305+P351+P338 F IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 If eye irritation persists: Get medical attention. P303+P361+P353 If ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P303+P361+P353 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	GHS Classification	Eye irritation - Category 2A		
Signal word WARNING Hazard statement(s) H319 Causes serious eye irritation. H226 Flammable liquid and vapour. Precautionary statement(s): General P102 Keep out of reach of children. P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. Reap away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P303+P3561+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P303+P3761+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P303+P3761+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P307+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for		Flammable liquids - Category 3		
Signal word WARNING Hazard statement(s) H319 Causes serious eye irritation. H226 Flammable liquid and vapour. Precautionary statement(s): General P102 Keep out of reach of children. P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303+P351+P353 If eye irritation persists: Get medical attention. P303+P3561+P353 If con SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P303+P378-P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	Label elements			
Hazard statement(s) H319 Causes serious eye irritation. H226 Flammable liquid and vapour. Precautionary statement(s): General P102 Keep out of reach of children. P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. Reep away from heat/sparks/open flames/hot surfaces. No smoking. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 If EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	GHS label pictograms	GHS 07 GHS 02		
H319 Causes serious eye irritation. H226 Flammable liquid and vapour. Precautionary statement(s): General P102 Keep out of reach of children. P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 If eye irritation persists: Get medical attention. P303+P361+P353 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	Signal word	WARNING		
Precautionary statement(s): General	Hazard statement(s)			
Precautionary statement(s): General Depth of the process of the pro	H319	Causes serious eye irritation.		
P102 Keep out of reach of children. P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	H226	·		
P103 Read label before use. Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	Precautionary statement(s): Gene	eral		
Precautionary statement(s): Prevention P264 Wash skin thoroughly after handling. Reep away from heat/sparks/open flames/hot surfaces. No smoking. Reep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for		·		
P264 Wash skin thoroughly after handling. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	. =			
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. P241 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for		ention		
Reep away from heat/spanks/open hames/not surfaces. No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for		Wash skin thoroughly after handling.		
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	-	Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
P241 Use explosion-proof electrical/ventilating/lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	P233	Keep container tightly closed.		
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P377+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	P240	Ground/bond container and receiving equipment.		
P243 Take precautionary measures against static discharge. P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P377+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	P241	Use explosion-proof electrical/ventilating/lighting equipment.		
P280 Wear protective gloves and eye and face protection. Precautionary statement(s): Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P37+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	P242	Use only non-sparking tools.		
Precautionary statement(s): Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	P243	Take precautionary measures against static discharge.		
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	P280	Wear protective gloves and eye and face protection.		
present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for				
P337+P313 If eye irritation persists: Get medical attention. P303+P361+P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	P305+P351+P338	·		
P370+P378 In case of fire: Use extinguishing media appropriate to surrounding fire conditions for	P337+P313			
	P303+P361+P353			
	P370+P378			

SAFETY DATA SHEET

Product Name: NON SILICONE TYRE SHINE

Date of Issue: NOV 2021 Page 2 of Total 6

Precautionary statement(s): Storage

P403+P235 | Store in a well-ventilated place. Keep cool.

Precautionary statement(s): Disposal

P501 | Dispose of contents/container in accordance with local regulations.

Note

IMPORTANT | This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. However, good hygiene and housekeeping practices should be adhered to.

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS			
Ingredients:	CAS Number:	Proportion:	
Ethanol	64-17-5	< 20% w/w	
Ingredients determined to be non-	verious	2 10 0/ m/m	
hazardous including water	various	< 10 % w/w	
SECTION 4 - FIRST AID MEASURES			

SECTION 4 – FIRST AID MEA	ASURES
Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated
	clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If symptoms persist, seek medical attention.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	No special requirements.

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion Hazards	Flammable liquid and vapour (GHS criteria).	
Extinguishing Media	Use extinguishing media appropriate to surrounding fire conditions. Use carbon dioxide (CO2) fire extinguisher, water fog or alcohol resistant foam or fine water spray.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.	
Flash Point	38 °C (does not support combustion)	

SAFETY DATA SHEET

Product Name: NON SILICONE TYRE SHINE

Date of Issue: NOV 2021 Page 3 of Total 6

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water-courses. For large spills, or tank rupture, consider initial evacuation distance of 200 metres in all directions. Stop leak if safe to do so. Remove all ignition sources. If available, use water spray to disperse vapour. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

SECTION 7 – HAND	DLING AND STORAGE
Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.
Storage	Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

SECTION 8 – EXPOSURE C	CONTROLS AND PERSONAL PROTECTION
Exposure Limits	National Occupational Exposure Limits, as published by Safe Work Australia: Time-weighted Average (TWA): None established for product. Ethanol: 1000ppm 1880mg/m3 Short Term Exposure Limit (STEL):
	None established for product.
Ventilation	No special requirements.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection	Generally, not required for typical applications as per label directions. Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Generally, not required for typical applications as per label directions. Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Generally, not required for typical applications as per label directions. Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.

SAFETY DATA SHEET

Product Name: NON SILICONE TYRE SHINE

Date of Issue: NOV 2021 Page 4 of Total 6

Respirator	
	Generally, not required for typical applications as per label directions.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Non-viscous liquid	Colour	Colourless
Odour	alcohol odour	Specific Gravity	0.97 – 0.99 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	38°C	Flammable Limits	Not available
Water Solubility	Miscible in all proportions	рН	6.0 – 8.0 neat
Viscosity	Water thin	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure.	
Conditions to Avoid	Extremes of temperature and direct sunlight.	
Incompatibilities	Reducing agents, oxidizing agents.	
Hazardous		
Decomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes.	

SECTION 11 – TOXICOLOGIC	CAL INFORMATION		
POTENTIAL HEALTH EFFECT	S		
No adverse health effects ex	xpected if the product is handled in accordance with this Safety Data Sheet and the product label.		
Symptoms or effects that m	Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:		
Inhalation	Not considered to be an inhalation hazard.		
Skin contact	Not irritating to skin. Prolonged contact with concentrate may be irritating to skin.		
Eye contact	Concentrated product may cause eye irritation. Eye contact with concentrate will cause stinging,		
	blurring, tearing.		
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.		
Chronic exposure	No known effects.		
Toxicology Information	Not toxic, based on ingredients. Oral LD50 (calculated) : >7,000 mg/L		
Carcinogen Status			
SWA	No significant ingredient is classified as carcinogenic by SWA.		
NTP	No significant ingredient is classified as carcinogenic by NTP.		
IARC	No significant ingredient is classified as carcinogenic by IARC.		
Respiratory sensitisation	Not expected to be a respiratory sensitizer.		
Skin Sensitisation	Not expected to be a skin sensitizer.		
Germ cell mutagenicity	Not considered to be a mutagenic hazard.		
Reproductive Toxicity	Not considered to be toxic to reproduction.		
STOT-single exposure	Not expected to cause toxicity to a specific target organ.		
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.		
Aspiration Hazard	Not expected to be an aspiration hazard.		

SECTION 12 – ECOLOGICAL INFORMATION	
Eco-toxicity	Not harmful to aquatic life. LC50 > 100mg/L.
Product (as sold)	
Persistence and	Deadily bindervadeble based as inswedients
degradability	Readily biodegradable, based on ingredients.

SAFETY DATA SHEET

Product Name: NON SILICONE TYRE SHINE

Date of Issue: NOV 2021 Page 5 of Total 6

Bio accumulative potential	No bioaccumulation is expected.
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION		
Labels Required		
ADG	Not classified as Dangerous Goods.	
IMDG Marine Pollutant	No	
HAZCHEM	None allocated	
Land Transport (ADG)		
UN Number	None allocated	
ADG Code	None allocated	
HAZCHEM Code	None allocated	
Special Provisions	None allocated	
Packing Group	None allocated	
Packaging Method	None allocated	
Segregation	None allocated	

SECTION 15 – REGULATORY INFORMATION	
GHS Classification	Not classified as Hazardous according to the Globally Harmonised System of Classification and
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	Not scheduled
ADG Code	Not DG
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFORMATION	
Issue Date	November 2021
Version Number	V 2.0 – Regular review
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.
•	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency
	services.
	HSIS: Hazardous Substances Information System
	IARC: International Agency for Research on Cancer.
	SWA: Safe Work Australia.
	NTP: National Toxicology Program (USA).

SAFETY DATA SHEET

Product Name: NON SILICONE TYRE SHINE

Date of Issue: NOV 2021 Page 6 of Total 6

	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP : Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.
	UN Number: United Nations Number.
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)
	GHS Hazardous Chemical Information List (Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)
	"Australian Exposure Standards". Safework Australia
	Australian Code for The Transport of Dangerous Goods By Road And Rail
	Standard for the Uniform Scheduling of Medicines and Poisons
	Safety Data Sheets – individual raw materials – Suppliers
Disclaimer	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.
End of SDS	