SAFETY DATA SHEET

"U - RIPPER" MULTIPURPOSE CLEANER 2019 Version: #3 Pa

Date of Issue: Feb 2019

Page 1 of Total 6

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION			
SUPPLIER:	GLEAM ALL		
ADDRESS:	Unit 4, 12 Commercial Drive, Ashmore, Qld 4214 Australia.		
Trade Name:	"U - RIPPER" MULTIPURPOSE CLEANER		
TELEPHONE:	(07) 5531 1544	FAX:	(07) 5591 1800
AH EMERGENCY TELEPHONE:	13 1126 in Australia	Product Code:	
Substance:	Water based	Product Use:	Detergent
Creation Date:	Feb 2019	Revision Date:	Feb 2024

SECTION 2 – HAZARDS IDENTIFIC	ATION
Classification of the substance or	
Poisons Schedule	S5 (ALKALINE SALTS)
Dangerous Goods	Not classified as Dangerous Goods
GHS Classification	Eye Irritation Category 2A
	Skin Irritation Category 2
Label elements	
GHS label pictograms	GHS 07
Signal word	WARNING
Hazard statement(s)	
H319	Causes serious eye irritation
H315	Causes skin irritation.
Precautionary statement(s): Gen	eral
P102	Keep out of reach of children.
P103	Read label before use.
Precautionary statement(s): Prev	rention
P264	Wash skin thoroughly after handling.
P280	Wear eye protection/face protection and protective gloves.
Precautionary statement(s): Resp	ponse
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337 + P313	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P321	Specific treatment (see First Aid Measures on Safety Data Sheet).
P362	Take off contaminated clothing and wash before reuse.
Precautionary statement(s): Stor	age
	None allocated
Precautionary statement(s): Disp	osal
	None allocated
Note	
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its

SAFETY DATA SHEET

"U - RIPPER" MULTIPURPOSE CLEANER

Date of Issue: Feb 2019

Version: #3

Page 2 of Total 6

concentrated form, as supplied. When diluted to 1:3 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS			
Ingredients:	CAS Number:	Proportion:	
Sodium hydroxide	1310-73-2	< 1.0% w/w	
(C10-16) Alkyl alcohol ethoxylate,	68585-34-2	< 10 % w/w	
sulfated, sodium		< 10 % w/w	
Ethylene glycol monobutyl ether	111-76-2	< 10 % w/w	
Coconut Diethanolamide	68603-42-9	< 10 % w/w	
Ingredients determined to be non-	variaus	To 100 % w/w	
hazardous, including water.	various	To 100 % w/w	

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) , 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID ME	ASURES
Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated
	clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or
	redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove
	contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a
	doctor, or for at least 15 minutes. If symptoms persist, seek medical attention.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person.
	Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give
	further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand
	can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New
	Zealand 0800 764 766).
First Aid Facilities	No special requirements.

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion	Non flammable liquid. However, on evaporation of the aqueous component, the residual	
Hazards	material may burn.	
Extinguishing Media	Use an extinguishing media suitable for surrounding fires.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self- contained breathing apparatus if risk of exposure to products of combustion or decomposition.	
Flash Point	None	

SECTION 6 – ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

"U - RIPPER" MULTIPURPOSE CLEANER

Date of Issue: Feb 2019

Version: #3

Page 3 of Total 6

Emergency Procedures	Minor chills do not normally need any special clean up measuresrince with water
Emergency Procedures	Minor spills do not normally need any special clean-up measures – rinse with water.
	In the event of a major spill, prevent spillage from entering drains or water courses. Wear
	appropriate personal protective equipment and clothing to prevent exposure. Increase
	ventilation. As a water based product, if spilt on electrical equipment the product will cause
	short-circuits. If possible contain the spill. Place inert absorbent material onto spillage. Collect
	the material and place into a suitable labelled container. Do not dilute material but contain.
	Dispose of waste according to the applicable local and national regulations. If contamination
	of sewers or waterways occurs inform the local water and waste management authorities in
	accordance with local regulations.

SECTION 7 – HANDLING AND STORAGE		
Handling	Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep	
	containers closed at all times. Avoid physical damage to containers.	
Storage	Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in	
	suitable, labelled containers. Keep containers tightly closed. Store away from incompatible	
	materials. Ensure that storage conditions comply with applicable local and national regulations.	

SECTION 8 – EXPOSURE C	ONTROLS AND PERSONAL PROTECTION	
Exposure Limits	 National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission: Time-weighted Average (TWA): None established for product. Sodium hydroxide: 2 mg/m3 Peak limitation. ethylene glycol monobutyl ether: 20ppm, (96.9 mg/m3). Diethanolamine 3ppm, 13mg/m3. Short Term Exposure Limit (STEL): None established for product. ethylene glycol monobutyl ether: 50 ppm, (242 mg/m3). 	
Ventilation	Use with adequate ventilation.	
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;	
Eye Protection	Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.	
Hand Protection	Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.	
Body Protection	Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.	

SAFETY DATA SHEET

"U - RIPPER" MULTIPURPOSE CLEANER

Date of Issue: Feb 2019

Version: #3

Page 4 of Total 6

Respirator	Generally not required for typical applications with diluted solutions as per label directions.
	Where high contaminant spray mist or vapour levels exist, ie, approaching the exposure limit,
	the following additional equipment is required: For short elevated exposures, eg, spillages:-
	Appropriate organic vapour cartridge respirator as per the requirements of AS/NZS 1715 and
	AS/NZS 1716 (Respiratory protective devices). For prolonged exposure and confined spaces:- full
	face air supplied or self contained breathing apparatus (if vapour levels exceed the Exposure
	Limit by more than ten times, air supplied apparatus should be used).

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Non-viscous liquid	Colour	fluoro
Odour	characteristic odour	Specific Gravity	1.0 – 1.02 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	рН	>11 neat
Volatile Organic	0 % v/v	Per Cent Volatile	Ca 85 % v/v
Compounds (VOC)			
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure.	
Conditions to Avoid	Extremes of temperature and direct sunlight.	
Incompatibilities	s Reducing agents, oxidizing agents.	
Hazardous		
Decomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes.	

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

symptoms of effects that m	ay arise if the product is mismandled and overexposure occurs are:	
Inhalation	Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation. Exposure to high concentrations of the product in liquid form or as a mist may lead to possible harmful corrosive effects. Aerosols of this product containing ingredient ethylene glycol monobutyl ether may cause central nervous system effects if inhaled.	
Skin contact	Properly diluted solutions not expected to be irritating to skin. Prolonged contact with concentrate will be irritating to skin.	
Eye contact	Concentrated product causes eye irritation. Eye contact with concentrate will cause stinging, blurring, tearing.	
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.	
Chronic exposure	Possible red blood cell changes (moderate exposure), kidney or liver damage (high exposure).	
Toxicology Information	Not toxic, based on ingredients. Oral LD50 (calculated) : >8,000 mg/kg	
Carcinogen Status		
NOHSC	No significant ingredient is classified as carcinogenic by NOHSC.	
NTP	No significant ingredient is classified as carcinogenic by NTP.	
IARC	N,N-Bis(2-hydroxyethyl) coconut oil amide has been classified by the International Agency for Research on Cancer (IARC) as a Group 2B carcinogen. Group 2B - The agent is possibly carcinogenic to humans.	
Respiratory sensitisation	Not expected to be a respiratory sensitizer.	
Skin Sensitisation	Not expected to be a skin sensitizer.	
Germ cell mutagenicity	Not considered to be a mutagenic hazard.	

SAFETY DATA SHEET

"U - RIPPER" MULTIPURPOSE CLEANER

Date of Issue: Feb 2019 Version: #3

Page 5 of Total 6

Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

SECTION 12 – ECOLOGICAL	INFORMATION
Eco-toxicity	Not harmful to aquatic life. LC50 > 100mg/L.
Product (as sold)	Acute Aquatic Toxicity (Calculated) LC50: 117 - 190 mg/L.
	Acute Aquatic Toxicity NOT HAZARDOUS
Eco-toxicity	Not harmful to aquatic life. LC50 > 100mg/L.
Product (at use dilution	Acute Aquatic Toxicity (Calculated) LC50: 11700 - 19000 mg/L.
1:100 rinse)	Acute Aquatic Toxicity NOT HAZARDOUS
Persistence and	Des ditu bis de sus de bla de ser de su in sus disertes
degradability	Readily biodegradable, based on ingredients.
Bio accumulative	No bioaccumulation is expected.
potential	
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition
	to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS	
	Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION	
Labels Required	
ADG	Not classified as Dangerous Goods.
IMDG Marine Pollutant	No
HAZCHEM	None allocated.
Land Transport (ADG)	
UN Number	None allocated.
ADG Code	None allocated.
HAZCHEM Code	None allocated.
Special Provisions	None allocated.
Packing Group	None allocated.
Packaging Method	None allocated.
Segregation	None allocated.

SECTION 15 – REGULATORY	/ INFORMATION
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S5
ADG Code	Not DG
AICS	All ingredients present on AICS.

SAFETY DATA SHEET

"U - RIPPER" MULTIPURPOSE CLEANER

Date of Issue: Feb 2019

Version: #3

Page 6 of Total 6

Issue Date	CORMATION
	7 th February 2019
Version Number	V 3.0 GHS classification
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.
	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency
	services.
	HSIS: Hazardous Substances Information System
	IARC: International Agency for Research on Cancer.
	NOHSC: National Occupational Health and Safety Commission.
	NTP: National Toxicology Program (USA).
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.
	UN Number: United Nations Number.
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)
	GHS Hazardous Chemical Information List (Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)
	"Australian Exposure Standards". Safework Australia
	Australian Code For The Transport Of Dangerous Goods By Road And Rail
	Standard for the Uniform Scheduling of Medicines and Poisons
	Material Safety Data Sheets – individual raw materials – Suppliers
	HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.
Disclaimer	This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further
	information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.